Technical data sheet

Junction box T 100, plug-in seal

Item number: 2007081





Junction box for the connection of cables and lines indoors and in protected outdoor areas. Rectangular design with plug-in seals to the sides and knock-out entries in the bottom. Suitable for wall and ceiling mounting and on mounting panels. With the option to fasten inside and to mount via the corner domes. Cover with quick lock, sealable. Made from halogen-free and UV-resistant materials.

Junction box according to DIN EN 60670. Flame-resistant to DIN EN 60695/2/11, test temperature 650 °C. Impact resistance IK07 according to DIN EN 50102.





















Polypropylene

Master data

Item number	2007081	
Description 1	Junction box	
Description 2	with 8x M25 entries, 2x M32	
Manufacturer	OBO	
Dimension	150x116x67	
Colour	Light grey; RAL 7035	
Material	Polypropylene	
Smallest sales unit	1	
Unit of quantity	Piece	
Weight	16.3 kg	
Weight unit	kg/100 pc.	
CO Footprint (GWP) Cradle-to- Gate	0,7164 kg COe / 1 Piece	

Technical data sheet

Junction box T 100, plug-in seal

Item number: 2007081



· · ·	150 mm
Width	116 mm
Height	67 mm

Technical data

Expandable	yes		
No. of entries	10		
Type of insertion	Plug-in seal		
Type of entry	Cable		
Type of housing penetration	Cuttable stepped membrane		
Measured insulation voltage Vi	500 V		
Equipment	Without		
Cover	Not transparent		
Cover fastening	Screwed		
Entry from rear	yes		
Entries	8 x M252 x M32		
Explosion-tested version	no		
Flame-resistant	acc. to VDE 0471/DIN 695 Part 2-1, test temperature 650°C		
Shape	Rectangular		
Maintain electrical functions	Without		
For Ex zone	Without		
For Ex zone gas	Without		
For Ex zone dust	Without		
Fibre-glass reinforced	no		
Halogen-free	yes		
Clear internal dimensions	136x102x57 mm		
With screening	no		
with lid	yes		
Mounting type	Wall/ceiling mounting		
Nominal cross-section, min.	10 mm²		
Nominal voltage	500 V		
Sealable	yes		
Protection rating	IP66		
Protection rating IK code	IK07.		
Permitted temperature range, max.	60 °C		
Permitted temperature range, min.	-5 °C		

Technical data sheet Junction box T 100, plug-in seal



Item number: 2007081

Technical data		
	Weatherproof	no